

EMBLEMS AND TRANSFER PRESSES FOR EVERY USE



.....

www.thermo-tex.co.uk

C

EMBLEMS

OUR EMBLEMS ARE A PROMISE

THERMOTEX emblems stand for high-quality marking of workwear, protective clothing, rainwear and promotional, sport and leisure clothing with your own corporate design! No matter what your taste or the area of application – you are spoilt for choice with the THERMOTEX emblem portfolio.

EMBLEMS / TRANSFERS

The logos are directly transferred onto the textile. It is usually produced as a transfer without background – but also possible with background colour, it depends on the motif.



FTC EMBLEMS FLAME RETARDANT (FH)

- iii workwear (heat protection)
- E protective clothing
 - (welder protection)
- Safety clothing



FTC EMBLEMS (FT)

PREMIUM-EMBLEM: AVAILABLE IN THREE VARIANTS - STANDARD, DYE-BLOCKING, FLAME RETARDANT



STANDARD

| Applications | t-shirts, sweat-shirts, polo-shirts, workwear, sports and leisure wear, softshell |
|--------------------|---|
| Motifs | cropped motifs possible (no colour gradient possible) |
| Colour | all colours as per Pantone C, HKS K, RAL colour chart |
| Opacity | high |
| Removable | no |
| Support | transparent film |
| Printing technique | screen printing |

DYE-BLOCKING EMBLEMS (DB)

emblem to avoid that the textile dyes the emblems respectively for fabrics which stain during heat sealing such as softshell

Standard

Dye-Blocking





EFFECT EMBLEMS (EE)

Are you looking for something special for your design? Something that specifically emphasises your charm and your charisma? Our effect emblems always produce an eye-catcher!

REFLEX

iii reflective motifsiii not according to EN ISO 20471

FLUORESCENT COLOURS

- iiii day glow colours in red, orange, green and yellow
- strong illuminous effect in black light
- iii especially suited to design effects

TO THE VIDEO

Standard vs. Reflex








| Applications | t-shirts, sweat-shirts, polo-shirts, workwear, sports and leisure wear, softs- hell, for real colour gradient and images |
|--------------------|--|
| Motifs | cropped motifs possible |
| Colour | according to Bitmap, all colours print- able, also colour gradient and pictures |
| Opacity | very high |
| Removable | NO |
| Support | transparent film |
| Printing technique | screen and digital printing |

Available in 3 variants:

- 💠 Standard
- Elame-retardant: according to EN ISO 11612 : 2008
- Dye-Blocking: with an additional barrier against dye sublimation







COLOR-CUT EMBLEMS (CC)

FOR SMALL QUANTITIES AND VARIOUS COLOURS · OPTIMAL FOR SOFTSHELL (DB VARIANT)

OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 S10-1071 HOHENSTEIN HTTI Testef or harmful substances. WWY.00Ko-tex.com/standard100

| Applications | t-shirts, sweat-shirts, sports and leisure wear, workwear, labelling of textiles in general |
|--------------------|---|
| Motifs | cropped motifs possible |
| Colour | according to Bitmap, all colours print- able, also colour gradient and pictures |
| Opacity | very high |
| Removable | NO |
| Support | transparent, adhesive film for better placement |
| Printing technique | digital printing |

PROPERTIES

- iii long-lived and excellent colour brilliance
- E extremely hard-wearing and resistant to
- mechanical action

Available in 2 variants:

Standard: very thin and elastic film

E Dye-Blocking: very resilient, fitted with an additional barrier against dye sublimation, optimal for softshell

LIGHT EMBLEMS (LE)

PRICE ALTERNATIVE TO THE FTC EMBLEM · VERY DURABLE

| Applications | workwear, protective clothing, | |
|--------------------|---------------------------------------|--|
| | t-shirts, sweat-shirts, leisurewear, | |
| | labelling of textiles in general | |
| Motifs | cropped motifs possible | |
| | (no colour gradient possible) | |
| Colour | single-colour and multicolour prints, | |
| | many standard colours as per | |
| | Pantone C, HKS K, RAL colour chart | |
| Opacity | high | |
| Removable | no | |
| Support | paper | |
| Printing technique | screen printing | |
| | | |



left: front right: back



EMBLEMS WITH TEXTILE SURFACE

This kind of emblems have a textile surface and they will be completely applied on the fabric.

TEX EMBLEMS (TE)

MORE TEXTILE-LIKE LOOK THAN THE DIGITAL EMBLEM · VERY ROBUST





Applications

| Applications | workwear, protective clothing, leasing laundry items, t-shirts, sweat-shirts, sports and leisure wear |
|--------------------|---|
| Motifs | completely cropped motifs not possible |
| Colour | according to Bitmap, all colours print- able, also colour gradient and pictures |
| Opacity | high |
| Removable | yes, with light glue residues |
| Printing technique | digital printing |

Available in 2 variants:

- E Standard: flame-retardant
- iiii low temperature: for delicate textiles, heat-sealing temperature as low as 130°C

simple processing

· not suitable for industrial washing



PROPERTIES

- 🔛 thin textile label, nonstretchable, very robust
- iii very hard-wearing to mechanical influences
- iii available with name imprinted
- E Standard variant: flame retardant
 - \cdot workwear (heat protection)
 - · protective clothing (welder protection)
 - · safety clothing



Our specialists will advise you which badges are suitable for your clothes! Contact emblem center: grafik@thermo-tex.de

REWEIN

FREWEIN

DIGITAL EMBLEMS (DI)

FOR SMALL QUANTITIES, AVAILABLE WITH NAME IMPRINTED OEKO-TEX ® COMPIDENCE IN TEXTILES STANDARD 100 S10-1071 HOVENSTEIN THI Tested for harmful substances. www.oeko-tex.com/standard100

| Applications | workwear, protective clothing, leasing laundry items, t-shirts, sweat-shirts, sports and leisure wear |
|--------------------|---|
| Motifs | completely cropped motifs not possible |
| Colour | according to Bitmap, all colours print- able, also colour gradient and pictures |
| Opacity | very high |
| Removable | yes, qualities CT2026 and Fixtexx (with glue residues) |
| Printing technique | digital printing |

Available in 3 variants:

- CT 2009 very thin, slightly stretchable film, very suitable for t-shirts, sweat-shirts, etc., can not be removed
- E CT 2026 thin textile label, non-stretchable, very robust
- E Fixtexx thin textile label with additional glue for fixing, nonstretchable, very robust

BRILLANT EMBLEMS (B, BG, BS)

TEXTILE SURFACE FROM BLENDED FABRICS

| Applications | workwear, protective work clothing, leasing laundry items |
|--------------------|---|
| Colour | single-colour and multicolour prints, printing of colour gradients (screen printing) possible, colours as per Pantone U, HKS N or RAL colour chart |
| Opacity | very high |
| Removable | yes (with glue residues) |
| Printing technique | screen printing |

PROPERTIES

- iii vibrant printing colours
- iii can be ironed
- iii available as self-adhesive variant



EMBLEMS |

SUBLIMATION EMBLEMS (SB)

CHEAPER ALTERNATIVE TO EMBROIDERED EMBLEMS, AVAILABLE WITH NAME IMPRINTED



| OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 S10-1071 HOHENSEINI HTTI Tested for harmful substances. www.oeko-tex.com/standard100 | |
|---|--|
| | |

A

| Applications | workwear, hired workwear, protective clothing, sports and leisure wear |
|-----------------------|--|
| Colour | according to Bitmap, all colours print- able, also colour gradient and pictures |
| Printing technique | sublimation printing |
| Removable | yes (with glue residues) |

PROPERTIES

- iii outstanding quality of printing and colour
- E highly hard-wearing
- 100% polyester

Available in 2 variants::

- iii with embroidered edge for heat-sealing or sewing
- iii without embroidered edge for heat sealing





| Applications | workwear, hired workwear, sports and leisure wear |
|--------------|--|
| Colour | colours according to embroidery yarn colour chart |
| Opacity | excellent |
| Removable | yes, with glue residues |

- iii direct embroidery possible
- iii for sewing and for heat sealing
- E raised, noble surface
- highly hard-wearing
- iii also possible with Nomex yarn (for protective - and flame protective clothing)

Does your emblem have to withstand **certain conditions**? Here you will find a list of all **standards** that are met by our emblems: www.thermo-tex.co.uk/products/emblems-norms



REFLEX EMBLEM PLOTTER (RP)

FOR PROTECTIVE CLOTHING AND EXCELLENT REFLECTION VALUES AS PER EN 20471

| Applications | specially for emergency services, fire brigade, police, workwear, safety workwear and other protective clothing |
|--------------|--|
| Motifs | cropped motifs possible (logos, motifs, lettering) |
| Colour | single-colour: reflective silver or yellow |
| Opacity | very high |
| Support | transparent film |

Available in 4 variants:

- iii silver reflective / standard (RP)
- iiii silver reflective/3M 5807 (RP/3M)
- Silver reflective / flame retardant (RP/FH)
- iiii yellow reflective / flame retardant (RP/GE)

Only applies for flame retardant emblems









THW

9

EMBLEMS



CHEST PENDANT & ASSOCIATION BADGE

FOR CLUB CREST, CITY CREST, STATE CREST

With our chest tags or association badges you get your coat of arms in top quality on a shield-like background. Attach your badge to the button on the breast pocket of your uniform.

💠 standard: 7 cm x 13 cm (W x H)

🔛 other dimensions possible

Especially made for:

- 💠 Fire department
- E German Armed Forces
- III THW
- 💠 Police
- EE Rescue services
- E Associations
- **Companies**

NAME LABELS

DIFFERENT VARIETIES AND LOW ORDER QUANTITY POSSIBLE



Patrick Bols

A. Griesmann

E. Gallotta

EMBLEMS: CONTACT



YOUR CONTACT PARTNERS

Our emblem assortment has the right emblem for every requirement! We are happy to advise you in the selection of your emblem!



JAQUELINE STRAUß Team Leader, in-house sale & graphic design Sales area: Germany \$\$\$\$ +49 781 9616-58

🔀 jstrauss@thermo-tex.de



CORDULA VIAN In-house sale Sales area: Germany & Switzerland

↓ +49 781 9616-221∠ cvian@thermo-tex.de



OLGA WEIZ In-house sale Sales area: Germany, Austria, International

↓ +49 781 9616-223∞ oweiz@thermo-tex.de



MARTINA CHOUKROUN In-house sale Sales area: Germany, France, Belgium, International \$ +49 781 9616-57

🔀 mchoukroun@thermo-tex.de



ANGELIKA LIEDER In-house sale & graphic design Sales area: Germany \$ +49 781 9616-11

➡ alieder@thermo-tex.de





JENS VETTER Graphic design ↓ +49 781 9616-46 ∞ jvetter@thermo-tex.de



PATRICK BUß Graphic design ↓ +49 781 9616-91 ■ pbuss@thermo-tex.de



TRANSFER PRESSES

This is what awaits you:

- iii ideal solution for garment manufacturer and designers for the sportswear and work wear
- two large working stations for efficient and quick working

TRANS PRESS 20

WITH TWO WORKING PLATES

- iii ideal for coping with large working volumes
- iii convenient preparation of textiles for the heat sealing process

TRANS PRESS 21 WITH ONE WORKING PLATE



Connection: 230 V, 50 Hz, 2000 W
 Width: 958 mm (with lower plates)
 Height: 712 mm
 Deepness: 885 mm

- III Space required: 770 x 700 mm
- III Size of upper plate: 480 x 380 mm
- :...: Weight: 110 kg

Trans Press 20

Art. no. 20000

Your benefits

- greatest handling convenience due to an easy running, swivelling heat plate
- extra working clearance (approx. 60 mm space between heat sealing and upper plate)
- iiii modern display for selection of language, working temperature (from 80 to 220 °C), pressing time (variable from 0 to 999,9 sec.) and setting of various parameters on three practical function keys allows for quick and easy operation
- iiii integrated two-hand control for highest safety
- steady-going pressure adjustment and very even heat distribution

:::: Connection: 230 V, 50 Hz, 2000 W
 :::: Width: 774 mm
 :::: Height: 712 mm
 :::: Deepness: 835 mm
 :::: Space required: 770 x 700 mm
 :::: Size of upper plate: 480 x 380 mm
 :::: Weight: 105 kg

Trans Press 21

Art. no. 19999

- simple and convenient replacement of different heat seal plates no tools required
- iii integrated safety mechanism by electronic heat seal release and automatic fault message: provides increased safety, prevents incorrect heat sealing
- iii maximum safety in the working process by complying with the latest equipment guidelines
- iiii simple replacement of the teflon on the hotplate (teflon fixed outside of the heat pack for a fast changeover)

THERE'S SOMETHING FOR EVERYONE

From the first-class manual presses for daily use, through to pneumatic presses ffor professionals - you will find that we offer transfer presses for every use. The THERMOTEX transfer presses are the ideal solution for high-quality, fast and comfortable marking of professional and protective clothing, sportswear, leisure and promotion wear.



- Ilarge work surface (in horizontal or vertical format)
- iii ideal for transfer printing on large-format textiles
- also available with self-opening mechanism (Trans Press 2-S)

Connection: 230 V, 50 Hz, 2000 W Width: 512 mm Height, when open: 880 mm Deepness: 830 mm Space required: 600 x 600 mm Size of upper plate: 480 x 380 mm Weight: 47 kg

Trans Press 1-S

| Heat sealing surface (vertical) | Art. no. 20048 |
|-----------------------------------|----------------|
| Heat sealing surface (horizontal) | Art. no. 20049 |

Trans Press 2-S (with self-opening mechanism)

| Heat sealing surface (vertical) | Art. no. 20002 |
|-----------------------------------|----------------|
| Heat sealing surface (horizontal) | Art. no. 20001 |

- iii handy format
- 💠 less weight
- Smaller upper plate

Connection: 230 V, 50 Hz, 1200 W Width: 512 mm Height, when open: 830 mm Deepness: 800 mm Space required: 600 x 600 mm Size of upper plate: 380 x 300 mm Weight: 40 kg

Trans Press mini Heat sealing surface (horizontal)

Art. no. 19998



MORE INFO:

TRANSFER PRESSES & ACCESSORIES

BETA CAP PRESS

IDEAL FOR PRINTING ON HATS AND CAPS

LOWER PLATE-ACCESSORIES

LOWER PLATE WITH SILICONE /NOMEX
 SILICONE PAD
 TEFLON
 NOMEX COVER



Connection: 230 V, 50 Hz, 500 W
Width: 280 mm
Height, when open: 800 mm
Height, when closed: 430 mm
Deepness: 520 mm
Space required: 280 x 470 x 730 mm
Compression surface: 150 x 90 mm
Weight: 15 kg

Beta Cap Press

Art. no. 15826

- iii technologically advanced and top quality handoperated transfer press
- iii compact and easy to handle, therefore ready for use everywhere
- large opening angle ensures there is plenty of working clearance
- special locking mechanism to hold cap in position during transfer

LOWER PLATE WITH SILICONE / NOMEX (1)

| Type of machine | Art. no. | Size in mm |
|-----------------------------|----------|------------|
| 1-S · 2-S 20 · 21 · mini | 15290 | 150 x 150 |
| | 15311 | 380 x 180 |
| | 20016 | 380 x 300 |
| 1-S · 2-S 20 · 21 | 19961 | 480 x 380 |

SILICONE PAD (2)

| Type of machine | Art. no. | Size in mm |
|----------------------|----------|------------|
| 1-S · 2-S 20 · 21 | 20017 | 480 x 380 |
| | 15336 | 380 x 180 |
| | 10335 | 150 x 150 |
| mini | 20018 | 380 x 300 |

TEFLON (3)

| Type of machine | Art. no. | Size in mm |
|-----------------|----------|------------|
| 1-S · 2-S | 19496 | 490 x 463 |
| 20 · 21 | 19497 | 390 x 380 |

NOMEX COVER (4)

| Type of machine | Art. no. | Size in mm |
|----------------------|----------|------------|
| 1-S · 2-S 20 · 21 | 13450 | 500 x 400 |
| | 12476 | 380 x 180 |
| | 15171 | 150 x 150 |

ACCESSORIES

LASER UNIT

.... reversible





Art. no. 20268

MOUNTING- AND POSITIONING GUIDE

- iii movable on the machine by 90° or 180°
- EE existing lateral scaling





LOWER PLATE IN T-FORM

- reversible mounting of e.g. Polo-shirts
- 💠 size: 120 x 450 mm



Art. no. 20408

TEFLON PLATE

🔛 suitable for flattening of seams



Size: 150 x 150mm Art. no. 18619 Size: 200 x 300mm Art. no. 18616 Size: 400 x 300mm Art. no. 18877 Ask for an individual offer: info@thermo-tex.de Phone +49 781 9616-0

DIRECT PRINTING / DIRECT EMBROIDERY / SUBCONTRACTING YOUR WORRY-FREE PACKAGE

To ensure you receive your employee clothing without worry: we patch your emblems onto the textiles!

At customer's request: iii patching iii direct printing or embroidery iii use of your own textiles or textiles from our portfolio



We`re looking forward to your call!

THERMOTEX NAGEL GmbH

Phone +49 781 9616-0 Fax +49 781 9616-50 Schutterstraße 14 77746 Schutterwald / D www.thermo-tex.co.uk facebook.com/thermotexnagel

THERMOTEX EUROPE AG

Phone +41 61 7519-100 Fax +41 61 7519-101 Langenhagstraße 13 4147 Aesch / CH www.thermo-tex.ch





< 007 GB #63616V(7)</pre>